

INDUSTRIAL HANDHELD READERS

* MOBILITY / RANGE				
SHORT RANGE	MEDIUM RANGE	LONG RANGE		
Up to 12 m/40 ft	Up to 30 m/98.4 ft	Up to 100 m/328 ft		
** READING RANGE				
CONTACT	INSTINCTIVE	DISTANCE	LONG RANGE	AUTO RANGE
0-5 cm / 0-2 in	0-30 cm / 0-12 in	0-100 cm / 0-39 in	0-250 cm / 0-98 in	Up to 10 m / 33 ft

☑ = Recommended Products ☉ = Alternative Products

POWERSCAN™ 7000 / 7100			POWERSCAN™ 8000 / 9000					POWERSCAN DPM	
7000 2D	PD7100	PBT7100	PD8300	PBT8300	PM8300	PM8500	PD9500	PD8590-DPM	PD9530-DPM
	<i>Also Available in Black</i>	<i>Also Available in Black</i>							
<p>The PowerScan 7000 / 7100 product series are Datalogic's value line of rugged industrial handheld data collection products. The PowerScan 7000 / 7100 1D and 2D imaging readers combine rugged durability and extremely snappy reading performance all at an affordable price.</p>			<p>A high-end solution of features and performance for industrial applications. Datalogic's 3GL™ (Three Green Lights) technology ensure quick and reliable feedback featuring the 'Green Spot' on the code combined with dual good-read LEDs on top and on the back of the cap for increased visibility in any condition, at any angle. Includes a loud beeper for additional good-read feedback.</p>					<p>The PowerScan DPM readers are rugged handheld area imagers specifically addressed and capable of reading codes marked with DPM (Direct Part Marking).</p>	

PRODUCT HIGHLIGHTS	Technology	Area Imager	Linear Imager	Linear Imager	Laser	Laser	Laser	Area Imager	Area Imager	Area Imager	Area Imager
	Mobility / Range* (see chart at top)	Corded	Corded	*Bluetooth / Long	Corded	*Bluetooth / Long	*STAR / Medium	*STAR / Medium	Corded	Corded	Corded
Distinctive Features	<ul style="list-style-type: none"> Standard Range and High Density optics VGA resolution plus image capture for multiple uses including signature capture Decodes 1D, 2D, postal codes and OCR fonts 	<ul style="list-style-type: none"> Excellent reading performance for high speed applications Wide scan angle and superior depth of field in the same model Optional aiming system 	<ul style="list-style-type: none"> All the same features as PD7100 Point-to-point and point-to-multi-point communications 	<ul style="list-style-type: none"> Choice of Standard or Auto Range optics Dual-position trigger for code aiming Wide temperature range - perfect for operation in refrigerators Undecoded Laser Output model 	<ul style="list-style-type: none"> All the same features as PD8300 Optional display with 3 or 16-Key keypads Bluetooth 2.0 compliant Point-to-point and multi-point transmission Piconet with up to 4 devices 	<ul style="list-style-type: none"> All the same features as PD8300 Optional display with 3 or 16-Key keypads Point-to-point, point-to-multi-point and network communications Up to 255 devices Two-way communications 	<ul style="list-style-type: none"> Optional display with 3-Key keypad Point-to-point, point-to-multi-point and network communications Up to 255 devices Two-way communications 	<ul style="list-style-type: none"> Fixed focus and autofocus models Snappy omnidirectional reading from contact to over 1.0 m / 3.3 ft Datalogic's new intuitive 'frame' aiming system with Datalogic's Motionix™ motion-sensing technology 'Soft white light' illumination 	<ul style="list-style-type: none"> Multi-Axis Illumination technology Aggressive decoding of codes marked with DPM Industrial and rugged design Vibrating motor for noisy industrial environments USB and RS-232 interface options 	<ul style="list-style-type: none"> Supports any kind of DPM Highly visible 4-dot aimer with center cross for targeted scanning 'Soft white light' illumination Datalogic's 3GL™ technology and loud beeper for good-read feedback 	
Reading Range ** (see chart at top)	Instinctive	Long Range	Long Range	Distance / Auto Range	Distance / Auto Range	Distance / Auto Range	Instinctive	Instinctive / Distance	Contact	Contact / Instinctive	
1D / Linear Codes	☑	☑	☑	☑	☑	☑	☑	☑	☑	☑	
2D Codes	☑						☑	☑	☑	☑	
Datalogic 'Green Spot' Technology		☑	☑	☑	☑	☑	☑	☑		☑	
Remote Host Download		☑	☑					☑		☑	
Environmental Protection	IP65	IP65	IP65	IP65	IP64 / IP65	IP64 / IP65	IP64 / IP65	IP65		IP65	
Factory Warranty	5 Years	3 Years	3 Years	3 Years	3 Years	3 Years	3 Years	3 Years	2 Years	3 Years	
CROSS MARKET APPLICATIONS	Point-of-Sale (POS)		Heavy Duty	Heavy Duty		Heavy Duty	Heavy Duty				
	Signature / Image Capture	Heavy Duty						Heavy Duty	Heavy Duty	Heavy Duty	
	Document Handling	Heavy Duty	Heavy Duty	Heavy Duty		Heavy Duty		Heavy Duty	Heavy Duty		
	Ticketing / Access Control			Indoor / Outdoor		Indoor / Outdoor	Indoor / Outdoor				
	Shipping and Receiving	Heavy Duty	Heavy Duty	Heavy Duty	Heavy Duty	Heavy Duty	Heavy Duty	Heavy Duty	Heavy Duty		
	Asset Tracking	Heavy Duty	Heavy Duty	Heavy Duty	Heavy Duty	Heavy Duty	Heavy Duty	Heavy Duty	Heavy Duty	Heavy Duty	
	Warehouse Management	Heavy Duty	Heavy Duty	Heavy Duty	Heavy Duty	Heavy Duty	Heavy Duty	Heavy Duty	Heavy Duty		
SPECIALIZED MARKET APPLICATIONS	RETAIL	ID / Age Verification (US)	☉					☑	☑		
		Merchandise Returns		☑		☉	☉				
	POSTAL	Front Office		☉							
		Courier Services / Sorting	☉	☑	☑	☑	☑	☑	☉		
	HEALTHCARE	Patient Administration									
		Point of Care / Bedside Bar Coding			☉						
		Laboratory Services / Tracking	☉								
	MANUFACT	Shop Floor / Work in Progress	☉	☉	☉	☑	☑	☑	☑	☑	
	Order Picking / Fulfillment			☉	☉	☑	☑	☑	☉		
	Forklift Operations		☉	☉	☑	☑	☑		☑		



www.datalogic.com



All Datalogic ADC products support GS1 DataBar™ linear codes.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Datalogic, ADC Inc. is under license.

© 2013 Datalogic ADC, Inc. All rights reserved. Protected to the fullest extent under U.S. and international laws. Copying, or altering of this document is prohibited without express written consent from Datalogic, Inc. • Datalogic and the Datalogic logo are registered trademarks of Datalogic S.p.A. in many countries, including the U.S. and the E.U. • PowerScan and QuickScan are registered trademarks of Datalogic ADC, Inc. in many countries, including the U.S. and the E.U. • Heron is a registered trademark of Datalogic ADC, Inc. in the U.S. • 3GL, Datalogic Star Cordless System and Touch are trademarks of Datalogic ADC S.r.l. • Illumix, and Motionix are trademarks of Datalogic, ADC Inc. • All other brand and product names are trademarks of their respective owners.

Product specifications are subject to change without notice.



> General Purpose & Industrial Handheld Readers



CONTINUING A LEGACY OF EXCELLENCE

Fast-paced and dynamic, the Automatic Identification and Data Collection industry requires commitment, innovation and adaptability to constant change. Only state-of-the-art solutions can satisfy the ever-demanding expectations of customers. Datalogic always goes one step beyond. Dedication to exceeding the customers' expectations has led to the development of the widest range of high performance products and solutions in the industry. This, combined with excellent service, has made Datalogic a world leader for automatic data capture needs.

GENERAL PURPOSE HANDHELD READERS

The wide range of general purpose handheld readers offers a variety of choices for data collection activities. Product sets of conventional laser, linear or area imaging technology, plus a variety of features to meet specific scanning needs.

INDUSTRIAL HANDHELD READERS

Datalogic's PowerScan™ industrial handheld readers are data collection's definitive example of ruggedness and durability. Often imitated, but never rivaled, the PowerScan products rise above the fray with their outstanding performance and unyielding reliability.

* MOBILITY / RANGE				
SHORT RANGE	MEDIUM RANGE	LONG RANGE		
Up to 12 m/40 ft	Up to 30 m/ 98.4 ft	Up to 100 m/328 ft		
** READING RANGE				
CONTACT	INSTINCTIVE	DISTANCE	LONG RANGE	AUTO RANGE
0-5 cm/ 0-2 in	0-30 cm/ 0-12 in	0-100 cm/ 0-39 in	0-250 cm/ 0-98 in	Up to 10 m/ 33 ft

☑ = Recommended Products ○ = Alternative Products

PRODUCT HIGHLIGHTS

CROSS MARKET APPLICATIONS

SPECIALIZED MARKET APPLICATIONS

GENERAL PURPOSE HANDHELD READERS														
TOUCH™	QUICKSCAN™				HERON™	GRYPHON™ 4100			GRYPHON™ 4300	GRYPHON™ 4400				
TD1100	QD2100	QM2100	QD2300	QD2400 2D	D1X0	GD4100	GBT4100	GM4100	GD4300	GD4400 2D	GD4400-B 2D	GBT4400 2D	GM4400 2D	
<i>Also Available in White</i>						<i>Available in Black, White or Disinfectant-Ready Enclosures</i>	<i>Available in Black, White or Disinfectant-Ready Enclosures</i>	<i>Available in Black, White or Disinfectant-Ready Enclosures</i>		<i>Available in Black, White or Disinfectant-Ready Enclosures</i>	<i>Also Available in White</i>	<i>Available in Black, White or Disinfectant-Ready Enclosures</i>	<i>Available in Black, White or Disinfectant-Ready Enclosures</i>	
An excellent value for those seeking a cost-effective solution.	The QuickScan series of economical readers are designed for use in retail and office environments and offer snappy reading performance. The QD2300 laser model is the perfect solution for customers who prefer laser scanning technology. The QD2400 is capable of reading 1D and 2D bar codes and is the perfect solution to upgrade existing laser scanners to image-based technology.				Entry level readers packed with features that are perfect for large to small retail or POS applications.	The Gryphon 4100 series of linear imagers offer fast reading and decoding speed on 1D/linear bar codes. The extreme versatility of the Datalogic Gryphon combines many top performing and distinctive features together in a perfect balance, from reading capabilities to durability and ergonomics.			Premium features include longer reading distances, snappy reading and a bright, well-defined scan line.	The Gryphon 4400 series of area imagers support virtually any 1D and 2D codes. Deep red illumination, without the flicker effect, features a center-cross aimer with four corner dots defining the reading area. Datalogic's Motionix™ motion sensing technology automatically switches between handheld and stand mode.				
Technology	Linear Imager	Linear Imager	Linear Imager	Laser	Area Imager	Linear Imager	Linear Imager	Linear Imager	Linear Imager	Laser	Area Imager	Area Imager	Area Imager	Area Imager
Mobility / Range* (see chart at top)	Corded	Corded	*STAR / Short	Corded	Corded	Corded	Corded	*Bluetooth / Medium	*STAR / Medium	Corded	Corded	Corded	*Bluetooth / Medium	*STAR / Medium
Distinctive Features	<ul style="list-style-type: none"> Cost-effective contact readers Two width options for specific code reading Compact and innovative 'read-thru' holder for hands-free reading Pro models are multi-interface 	<ul style="list-style-type: none"> Affordable Replaceable window Ergonomic - lightweight with small form factor Excellent reading on hard-to-read codes Extended depth-of-field 	<ul style="list-style-type: none"> Most affordable cordless solution Point-to-point communications Scan-While-Charging Batch Mode Excellent reading on hard-to-read codes 	<ul style="list-style-type: none"> Affordable Replaceable window Ergonomic - lightweight with small form factor Wider than usual scan angle for reading wider codes at short distances 	<ul style="list-style-type: none"> Affordable 2D reader Outstanding snappiness Omnidirectional reading Reduced visual stress with LED-based aiming system Advanced motion tolerance optics 	<ul style="list-style-type: none"> Handheld and hands-free operation Stand Mode automatically switches to hands-free reading Accurate and high first-pass read rates Complete data formatting and editing 	<ul style="list-style-type: none"> Superior depth-of-field Wide scan angle Excellent reading performance and label decoding High resolution code reading capability EAS option 	<ul style="list-style-type: none"> All the same features as Model GD4100 Point-to-point and point-to-multi-point communication 2-Position cradle with Scan-While-Charging Batch Mode 	<ul style="list-style-type: none"> All the same features as Model GD4100 Point-to-point and point-to-multi-point communication Optional display with 3-Key keypad 2-Position cradle with Scan-While-Charging Batch Mode Anti-counterfeit option 	<ul style="list-style-type: none"> Superior depth of field Wide scan angle Aggressive reading and label decoding 	<ul style="list-style-type: none"> Omnidirectional reading High motion tolerance User friendly illumination Image / document capture Decodes 1D, 2D, Postal, stacked, composite codes Multi-interface options Standard Range/High Density option 	<ul style="list-style-type: none"> All the same features as GD4400 All-in-One integrated tilting base Handheld and presentation operation Automatic switching between handheld and presentation mode Raised cable port 	<ul style="list-style-type: none"> All the same features as GD4400 2-Position cradle with Scan-While-Charging Batch Mode capability User replaceable Lithium-Ion battery Point-to-point and point-to-multi-point communication High Density model available (433 MHz only) 	<ul style="list-style-type: none"> All the same features as GD4400 2-Position cradle with Scan-While-Charging Batch Mode capability User replaceable Lithium-Ion battery Point-to-point and point-to-multi-point communication Anti-counterfeit option (433 MHz only)
Reading Range ** (see chart at top)	Contact / Instinctive	Instinctive	Instinctive	Instinctive	Instinctive	Instinctive	Distance	Distance	Distance	Distance	Distance	Distance	Distance	Distance
1D / Linear Codes	☑	☑	☑	☑	☑	☑	☑	☑	☑	☑	☑	☑	☑	☑
2D Codes					☑							☑	☑	☑
Datalogic 'Green Spot' Technology		☑			☑		☑	☑	☑	☑	☑	☑	☑	☑
Remote Host Download		☑			☑		☑	☑	☑	☑	☑	☑	☑	☑
Environmental Protection	IP30	IP42	IP30	IP42	IP42	IP30	IP52	IP52	IP52	IP52	IP52	IP52	IP52	IP52
Factory Warranty	5 Years	5 Years	3 Years	3 Years	5 Years	5 Years	5 Years	3 Years	3 Years	5 Years	5 Years	3 Years	3 Years	3 Years
Point-of-Sale (POS)	Light Duty	Light Duty	Light Duty	Light Duty	Light Duty	Light Duty	Light / Medium Duty	Light / Medium Duty	Light / Medium Duty	Light / Medium Duty	Light / Medium Duty	Light / Medium Duty	Light / Medium Duty	Light / Medium Duty
Signature / Image Capture											Light / Medium Duty	Light / Medium Duty	Light / Medium Duty	Light / Medium Duty
Document Handling	Light Duty	Light Duty	Light Duty	Light Duty	Light Duty	Light Duty	Light / Medium Duty	Light / Medium Duty	Light / Medium Duty	Light / Medium Duty	Light / Medium Duty	Light / Medium Duty	Light / Medium Duty	Light / Medium Duty
Ticketing / Access Control		Indoor		Indoor	Indoor	Indoor		Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor
Shipping and Receiving					Light Duty		Light / Medium Duty	Light / Medium Duty	Light / Medium Duty	Light / Medium Duty	Light / Medium Duty	Light / Medium Duty	Light / Medium Duty	Light / Medium Duty
Asset Tracking			Light Duty				Light / Medium Duty	Light / Medium Duty	Light / Medium Duty	Light / Medium Duty	Light / Medium Duty	Light / Medium Duty	Light / Medium Duty	Light / Medium Duty
RETAIL	ID / Age Verification (US)				☑						☑	☑	☑	☑
	Merchandise Returns			☑		○	○	☑		○	☑	☑	☑	☑
POSTAL	Front Office	○	☑		☑	☑	☑	☑	☑	☑	☑	☑	☑	☑
	Courier Services / Sorting													
HEALTHCARE	Patient Administration	○	☑	○	☑	☑	☑	☑	☑	☑	☑	☑	☑	☑
	Point of Care / Bedside Bar Coding			☑		☑	☑	☑	☑	☑	☑	☑	☑	☑
	Laboratory Services / Tracking		○		☑	○	☑		☑	☑	☑	☑	○	○
MANUFACT	Shop Floor / Work in Progress (WIP)						○	☑	☑	○	☑	☑	☑	☑
	Order Picking / Fulfillment							☑	☑		☑	☑	☑	☑
	Forklift Operations						○			○				